



Anti Arthritic Indigenous Herbal Drugs: Phyto-chemistry and Possible Mechanism

Kamal Kishor Shukla*

Anand Nagar, Ward No. 8, Near Nescent Public School, Rewa, (M.P) - India

Article info

Received: 10/06/23

Revised: 15/07/2023

Accepted: 11/08/2023

© IJPLS

www.ijplsjournal.com

Abstract

Arthritis is a most troublesome problem in oriental countries like India. It has an ancient presence in the subcontinent's medical traditions. The disorders typically involve with of pain, stiffness, and blockage, including joint, bone, and muscle problems followed by paralysis. Present-day terms for arthritis, rheumatism, and joint disorders reflect the contemporary mix of humoral and biomedical influence in the region. Use of indigenous herbal drugs for the treatment of arthritis is of prime important and is traditionally claimed from ancient folk-lore. The present review focuses on the use of several herbal drugs for the treatment and management of arthritis along with their possible.

Key-words: Arthritis, Indigenous Herbal Drugs, Mechanism

Introduction

RA is a chronic, systemic inflammatory disease predominantly affecting the joints and periarticular tissue. RA still remains a formidable disease, being capable of producing severe crippling deformities and functional disabilities and cartilage destruction and commonly leads to significant disability, caused by no. of pro inflammatory molecules released by macrophages including reactive oxygen species and eicosanoids such as prostaglandins, leukotrienes and cytokines. The regulation of these mediators secreted by macrophages and other immune cells¹ and modulation of arachidonic acid metabolism by inhibiting enzymes like Cox and LOX are the potential target for chronic inflammatory conditions. RA is a complex process, involving synovial cell proliferation and fibrosis, degeneration of cartilage and bone erosion. This process is mediated by an interdependent network

of cytokines, prostanoids and proteolytic enzymes.¹⁻³

Need of exploring herbal drugs

Plants are a rich source of various metabolites and they contain two categories of metabolites namely primary and secondary metabolites. Primary metabolites include those substances which contribute a major role in plant structure as well as energy metabolism of the plants. These basically include the primary metabolites like carbohydrates, proteins and fats. Secondary metabolites are the group of chemicals not required by the plant for its structure or function and are comparatively found in less quantity as compared to the primary metabolites. These are a group of non-nutritive dietary components, some of which are utilized by plants in defense system.

*Corresponding Author

The compounds which fall under the category of secondary metabolites are broadly categorized as “phytochemicals”. Phytochemicals are the defense molecules present in the plant to protect from various microbes, insects etc. They also act as growth regulators in the plant system. Secondary plant metabolites or phytochemicals possess pharmacological properties. Since then various scientific studies are being carried out to study the therapeutic potential of various plants and their products. Till date many plants have been shown to possess significant anti arthritic role thus

proving to be a potential tool in drug discovery and drug development process. The plant, as one of the important sources, still maintains its original place in the treatment of various diseases, including arthritis, with minimum side effects. Considerable studies have been carried out on ethno medicinal plants; however, only few indigenous medicinal plants have attracted the interest of scientists, to investigate them as a remedy for arthritis.⁴⁻⁵

Indigenous Herbal drugs used in arthritic with possible mechanism⁴⁻³⁸

Table 1: List of herbal sources of anti-arthritic activity

S/No.	Botanical name	Family	Parts and Extract used	Chemical constituent	Model used
1.	<i>Abrus precatorius</i>	Leguminosae	Red and White Seeds Ethanol	Flavones luteolin, abrectorin, isoorientin and desmethoxycentaureidin 7-0-rutinoside	FCA
2.	<i>Asystasia dalzelliana</i>	Acanthaceae	Leaves Ethanolic	Steroids, flavanoid, alkaloids, tannins	FCA
3.	<i>Aristolochia bracteata</i>	Aristolochiaceae	Whole plant Petroleum ether, chloroform and methanol	Aristolochic acid, alkaloids, flavanoids.	FCA
4.	<i>Butea monosperma.</i>	Fabaceae	Whole plant, Petroleum ether	Gallic acid, pyrocatechin	FCA
5.	<i>Bauhinia variegata</i>	Caesalpiniaceae	Stem Ethanolic	Flavanoid, alkaloids	CFA
6.	<i>Borassus flabellifer</i>	Arecaceae	Male flowers (inflorescences) Ethanolic	Steroids, saponins, borassosides.	FCA
7.	<i>Capparis spinosa</i>	Capparidaceae	Fruit Ethanolic:Water	Flazin, Guanosine, Capparine,	AIA
8.	<i>Capparis erythrocarpos</i>	Capparaceae	Roots Ethanolic	Proteins, poly phenols	FCA
9.	<i>Cassia uniflora Mill</i>	Caesalpiniaceae	Leaves Petroleum ether, ethyl acetate, methanolic	Proteins, poly phenols, alpha galactosidase	CFA
10.	<i>Cissampelos pareira</i>	Menispermaceae	Roots Aqueous ethanolic	Alkaloids, flavanoids	CFA
11.	<i>Cleome gynandra</i>	Capparidaceae	Leaves Ethanolic	Alkaloids, carotinoids, flavanoids, phytates, saponins,tannins	AIA
12.	<i>Cocculus hirsutus</i>	Menispermaceae	Leaves Ethanolic	Alkaloids, carotinoids, flavanoids, phytates, saponins,tannins	FCA, FIA
13.	<i>Costus speciosus</i>	Costaceae	Aerial part Methanolic	Diosgenin, succinic acid	FCA
14.	<i>Elaeocarpus sphaericus</i>	Elaeocarpaceae	Fruit Ethanolic	Alkaloids, carbohydrates, glycosides	FCA
15.	<i>Ficus bengalensis</i>	Moraceae	Stem bark Methanolic	Alkaloids, glycosides	FCA, FIA, AIA
16.	<i>Glycosmis pentaphylla</i>	Rutaceae	Stem bark Ethanolic	Alkaloids, flavanoids	FCA

17.	<i>Glycyrrhiza glabra</i>	Leguminosae	Rhizomes Methanolic	Alkaloids, glycosides	CFA
18.	<i>Harpagophytum procumbens</i>	Pedaliaceae	Roots Ethanol	Alkaloids, glycosides	FCA
19.	<i>Hybanthus enneaspermus</i>	Violaceae	Whole plant Alcoholic and aqueous	Alkaloids, carbohydrates, glycosides,	FCA
20.	<i>Justicia gendarussa</i> Burm	Acanthaceae	Leaves Ethanol	Alkaloids, glycosides	FCA, CIA
21.	<i>Lawsonia innermis</i>	Lythraceae	Leaves Hydroalcoholic	Alkaloids, carbohydrates, glycosides, phytosterols, Saponins, tannins, proteins, flavanoids	FCA, FIA
22.	<i>Merremia emarginata</i> Burm	Convolvulaceae	Whole plant Ethanol	Alkaloids, carbohydrates, glycosides,	FCA
23.	<i>Machilus macrantha</i>	Lauraceae	Bark Petroleum ether, alkaloidal fraction, acetone extracts	Alkaloids, carbohydrates, glycosides,	FCA
24.	<i>Merremia tridentata</i>	Convolvulaceae	Whole plant Ethanol	Ergosie alkaloids, pyrrolidine alkaloids	CFA
25.	<i>Piper longum</i>	Piperaceae	Fruit Aqueous	Alkaloids, steroids, tannins,	FCA
26.	<i>Pongamia pinnata</i>	Fabaceae	Leaves Methanolic	Alkaloids, steroids, tannins, flavanoids and glycosides	FCA
27.	<i>Phyllanthus amarus</i>	Euphorbiaceae	Aqueous	Alkaloids, glycosides, flavanoids,	FCA
28.	<i>Punica granatum</i>	Punicaceae	Seeds Ethanol	Flavanoids, phenolic compounds	FCA
29.	<i>Pistia stratiotes</i>	Araceae	Leaves Aqueous and ethanol	Alkaloids, glycosides, steroids, polysaccharides	AIA
30.	<i>Premna serratifolia</i>	Verbenaceae	Wood Ethanol	Alkaloids, steroids, tannins, flavanoids and glycosides	AIA
31.	<i>Randia dumetorum</i>	Rubiaceae	Fruit Methanolic	alkaloids, glycosides, flavanoids,	FCA
32.	<i>Ricinus communis</i>	Euphorbiaceae	Leaves Hydroalcoholic	Alkaloids, glycosides, steroids	FCA
33.	<i>Syzygium cumini</i>	Myrtaceae	Seeds Methanolic	Alkaloids, steroi ds, glycosides,steroids, polysaccharides	FCA
34.	<i>Strychnos potatorum</i>	Loganiaceae	Seeds Aqueous	Saponin glycosides, Bsitosterol, carbohydrates	FCA
35.	<i>Sida rhombifolia</i>	Malvaceae	Aerial part Ethanol and aqueous	Alkaloids, glycosides, steroids	AIA
36.	<i>Tamarindus indica</i>	Ceasalpiniaceae	Seeds Alcoholic and aqueous	Alkaloids, glycosides, flavanoids, phenolic compounds	FCA
37.	<i>Tinospora cordifolia</i>	Menispermaceae	Leaves Ethanol	Alkaloids, glycosides, steroids, polysaccharides	FCA

38.	<i>Vernonia anthelmintica</i>	Asteraceae	Seeds Ethanolic	Sterols, sequeiterpene lactones, flavones	FCA
39.	<i>Vitex negundo</i>	Verbenaceae	Leaves Ethanolic	Carbohydrates, sterols, alkaloids, glycosides, flavanoids, phenolic compounds	FCA
40.	<i>Wedelia calendulacea</i>	Asteraceae	Leaves Methanol	Flavanoids, phenolic compounds	CFA

Note: FCA- Freund's Complete Adjuvant induced arthritis, AIA- Adjuvant induced arthritis, CIA- Collagen induced arthritis, FIA- Formalin induced arthritis, AIA- Agar induced arthritis, CFA- Complete Freund's Adjuvant induced arthritis

Conclusion

RA is a very common disorder now-a-days. The present review focuses on the phytochemistry and possible mechanism of 40 herbal drugs.

References

- Colburn N (2012). Review of Rheumatology. New York; London, Springer. DOI 10.1007/978-1-84882-093-7. 1-156.
- Ebringer A (2012). Rheumatoid Arthritis and Proteus. London; New York, Springer. X: 1-233.
- Faires JS, McCarty DJ. Acute arthritis in man and dog after intrasynovial injection of sodium urate crystals. Lancet. 1962.
- Danquah CA, Woode E, E Boakye-Gyasi - Anti-arthritis effects of an ethanolic extract of *capparis erythrocarpos* roots in Freund's adjuvant-induced arthritis in rats, J Pharmacol Toxicol, 2011.
- G Amresh, singh PN, Rao Ch.V. Antinociceptive and antiarthritic activity of *Cissampelos pariera* roots, Journal of Ethnopharmacology, 11(3), 2007.
- Han Z, Boyle DL, Manning AM and Firestein GS (1998). AP-1 and NF-kappaB regulation in rheumatoid arthritis and murine collagen-induced arthritis. *Autoimmunity*, 28; 197-208.
- Jaijesh Paval, Srinivasan Keloth Kaitheri , Bhagath Kumar Potu , Govindan Sreejith , Kumar Raju Suresh, Narayanan Sareesh Naduvil , Moorkoth Sudheer, Comparing the anti-arthritis activities of the plants *Justicia gendarussa* Burm F. and *Withania somnifera* Linn, International Journal of Green Pharmacy 2009.
- Jaijesh Paval, Srinivasan Keloth Kaitheri, Arunachalam Kumar, Sreejith Govindan, Ciraj Ali Mohammed, Raju Suresh Kumar, Sareesh Naduvil Narayanan, Prasad Alathady Maloorl. Anti-arthritis activity of the plant *Tinospora cordifolia* wild. Journal of Herbal Medicine and Toxicology, 5(1), 2011, 11-16.
- Joe B, Wilder RL, Animal models of rheumatoid arthritis, Mol Med Today. 1999 Aug; 5(8):367-9.
- Kamalutheen M, Gopalakrishnan S and Syed Ismail T. Anti-inflammatory and anti-arthritis activities of *Merremia tridentata* (L.) hall. E-journal of chemistry, 6(4), 2009.
- Kim HY, Kim WU, Cho ML, Lee SK, Yours J, Kim SI, Enhanced T cell proliferative response to type II collagen and synthetic peptide CII (255-274) in patients with rheumatoid arthritis. Arthritis Rheum. 1999.
- Kore KJ, Shete RV, Desai NV. Anti-arthritis activity of hydroalcoholic extract of *Lawsonia innermis*. Int. J. Drug Dev. & Res., 3 (4), 2011.
- Krishnaswamy Kannan, Robert A. Ortmann, Donald Kimpe, Animal models of rheumatoid arthritis and their relevance to human disease, pathophysiology Volume 12, Issue 3, October 2005.
- Kulkarni YA , Gokhale SB, Veeranjanyulu A, Effect of *Persea macrantha* against acute inflammation and adjuvant-induced arthritis in rats, Pharmaceutical Biology Journal Volume 47, 2009 .
- Kumar Satish and kumar Vivek R. Invitro Antiarthritic activity of isolated fractions from methanolic extract of *Asystasia dalzelliana*

- leaves. Asian Journal of Pharmaceutical and Clinical Research, 2011.
16. Kvien TK, Uhlig T, odegard S, Heiberg MS Epidemiological aspects of rheumatoid arthritis: the sex ratio, Ann N Y Acad Sci. 2006 Jun.
 17. Kyei Samuel, George A Koffuor and Johnson N Boampong, Antiarthritic effect of aqueous and ethanolic leaf extracts of *Pistia stratiotes* in adjuvant-induced arthritis in Sprague-Dawley rats, J Exp Pharmacol. 2012.
 18. Malaviya A, Kapoor S, Singh RR, Kumar A, Pande I. Prevalence of rheumatoid arthritis in the adult Indian population. Rheumatology International, 1993; 13(4):131-4 .
 19. Mali Sharad M., Arulmozhi Sinnathambi, Anti-arthritis activity of standardized extract of *Phyllanthus amarus* in Freund's complete adjuvant induced arthritis, Biomedicine & Aging, 2011 – Elsevier.
 20. Marc S. Micozzi (2001) Fundamentals of Complementary and Alternative Medicine Churchill Livingstone.
 21. Mishra N.K. , Bstia S., Mishra G., Chowdary K.A. , Patra S., Anti-arthritis activity of *Glycyrrhiza glabra*, *Boswellia serrata* and their synergistic activity in combined formulation studied in Freund's adjuvant induced arthritis rats, J Pharm Educ Res Vol. 2, Issue No. 2, December 2011.
 22. Narendhirakannan R.T. and Limmy T.P., Anti-inflammatory and anti-oxidant properties of *Sida rhombifolia* stems and roots in adjuvant induced arthritis rats, Immunopharmacology and toxicology 2012 - Taylor & Francis
 23. Newbould BB, Chemotherapy of arthritis induced in rats by mycobacterial adjuvant. J Pharmacol. 1963.
 24. Panchala Aashish H, Patelb Rakesh K. , Bhandari Anil, Anti-Arthritis And synergetic activity of *wedelia calendulacea* with methotrexate in adjuvant induced arthritis with cardioprotective activity in rat, pharmacologyonline 3: 175-187 (2011).
 25. Paschapur Mahesh S, Patil MB, kumar Ravi, Patil Sachin R.. Influence of ethanolic extract of *Borassus flabellifer* L on chemically induced acute arthritis in rats. International Journal of Pharmatech Research, 1(3), 2009.
 26. Paula FS and Alves JD (2014). Non-tumor necrosis factor-based biologic therapies for rheumatoid arthritis: present, future, and insights into pathogenesis."
 27. Pearson CM, Waksman BH, Sharp JT. studies of arthritis and other lesions induced in rats by injection of mycobacterial adjuvant. J Exp Med, 1961; 113(3): 485–510.
 28. Pearson CM, Wood FD. Studies of arthritis and other lesions induced in rats by the injection of mycobacterial adjuvant. VIII. Pathologic details of the arthritis and spondylitis. Am J Pathol. 1963.
 29. Petchi R Ramesh, Vijaya C, Parusuraman S, Natchiappan Alagu, Devika GS. Anti arthritic effect of ethanolic extract of *Vitex negundo* Linn., (*Verbenaceae*) in male albino wistar rats. Int.J.Res.Pharm.Sci, 2(2), 2011, 213-218.
 30. Rahman Mominur MD, Chowdhury Jakir Ahmed, Habib Razibul, Saha Barun Kanti, Salauddin ADM and Islam Mohammad Kaisarul, Anti-inflammatory, anti-arthritis and analgesic activity of the alcoholic extracts of the plant *Urginea indica* Kunth. IJPSR, 2011, 2(9), 2320-2324.
 31. Rajendran Rekha and Ekambaram Krishnakumar. Anti-arthritis activity of *Premna serratifolia* Linn, wood against adjuvant induced arthritis. E-journal of chemistry, 2(2), 2010.
 32. S Sheetal Chaudhari, Chaudhari Sanjay R., Machindra J. Chavan. Analgesic, anti-inflammatory and anti-arthritis activity of *Cassia uniflora* Mill, Asian Pacific Journal of Tropical Biomedicine, 2012.
 33. Sanmuga Priya Ekambaram, Senthamil Selvan Perumal and Venkataraman Subramania. Evaluation of anti-arthritis activity of *Strychnos potatorum* Linn seeds in Freund's adjuvant induced arthritis rat model. BMC Complementary and Alternative Medicine, 56, 2010, 10-56.
 34. Sudaroli M. and Chatterjee T. K., Evaluation of red and white seed extracts of *Abrus precatorius* Linn. Against Freund's complete adjuvant induced arthritis in rats, Journal of medicinal plants, 2007.
 35. Tripathy S., Sahoo S. P., Pradhan D., Sahoo S. and Satapathy D. K., Evaluation of anti arthritic potential of *Hybanthus*

- enneaspermus*, African Journal of Pharmacy and Pharmacology Vol. 3(12). 2009.
36. Xie G, Lu Y, Sun Y, Zhang SS, Keystone EC, Gregersen PK, Plenge RM, Amos CI, and Siminovitch KA (2013). Identification of the NF-kB activating protein-like locus as a risk locus for rheumatoid arthritis, *Ann Rheum Dis* 72(7); 1249-1254.
37. Yazici Y and Steiger B (2012). "Kinase inhibitors for the treatment of rheumatoid arthritis." *Bull NYU Hosp Jt Dis* 70(3): 204-207. *Biologics* 8: 1-12.
38. Yerra Koteswara Rao, Shih-Hua Fang and Yew-Min Tzeng, Antiinflammatory Activities of Flavonoids and a Triterpene Caffeate Isolated from *Bauhinia variegata*, *Phytotherapy research*, 2008 - Wiley Online Library.

Cite this article as:

Shukla K.K. (2023). Anti Arthritic Indigenous Herbal Drugs: Phyto-chemistry and Possible Mechanism. *Int. J. of Pharm. & Life Sci.*, 14(10-12): 1-6.

Source of Support: Nil

Conflict of Interest: Not declared

For reprints contact: ijplsjournal@gmail.com